

## 原著論文

### Marine environment

Liu Q., Nishibori N., Imai I., Hollibaugh J.T. (2016)  
Response of polyamine pools in marine phytoplankton to nutrient limitation and variation in temperature and salinity.  
Marine Ecology Progress Series 544: 93-105.

Nishibori N., Imai I. (2013)  
Polyamines control the growth of the fish-killing dinoflagellate *Karenia mikimotoi* in culture.  
Harmful Algae 29: 10-13.

Nishibori N., Sagara T., Nishio S. (2010)  
Determination of Polyamines Using Liquid Chromatography-Fast Atom Bombardment Mass Spectrometry and Its Application to Analysis of Free Polyamines in *Skeletonema costatum* (Bacillariophyceae).  
食品科学教育協議会会誌 6: 29-32.

Nishibori N., Niitsu M., Fujihara S., Sagara T., Nishio S., Imai I. (2009)  
Occurrence of the polyamines caldopentamine and homocaldopentamine in axenic cultures of the red tide flagellates *Chattonella antiqua* and *Heterosigma akashiwo*.  
FEMS Microbiology Letters 298: 74-78.

Nishibori N., Fujihara S., Nishijima T. (2006)  
Changes in intracellular polyamine concentration during growth of *Heterosigma akashiwo*.  
Fisheries Science 72: 350-355.

Fujihara S., Terakado J., Nishibori N., Nagai T. (2006)  
Accumulation of an aromatic amine,  $\beta$ -Phenethylamine in root nodules of adzuki bean *Vigna angularis*.  
Plant and Soil 280: 229-237.

Nishibori N., Kondo R., Sagara S., Nishio S. (2006)  
Cyclin Box Sequence in *Skeletonema costatum*.  
四国大学紀要自然科学編 23: 69-71.

Nishibori N., Nishijima T. (2004)  
Changes in polyamine levels during growth of a red-tide causing phytoplankton *Chattonella antiqua*.  
European Journal of Phycology 39: 51-55.

Nishibori N., Matsuyama Y., Uchida T., Moriyama T., Ogita Y., Oda M., Hirota H. (2003)  
Spatial and temporal variations in free polyamine distributions in Uranouchi Inlet, Japan.  
Marine Chemistry 82: 307-314.

Hashimoto T., Nishio S., Nishibori N., Yoshioka S., Noguchi T. (2002)  
A new analytical method for gonyautoxins based on postcolumn HPLC.  
Journal of the Food Hygienic Society of Japan 43: 144-147.

Hashimoto T., Matsuoka S., Yoshimatsu S., Miki K., Nishibori N., Nishio S., Noguchi T. (2002)  
First paralytic shellfish poison (PSP) infestation of bivalves due to toxic dinoflagellate *Alexandrium tamijavanichii* in the southeast coast of the Seto Inland Sea, Japan.  
Journal of the Food Hygienic Society of Japan 43: 1-5.

Nishibori N., Nishii A., Takayama H. (2001)

Detection of free polyamine in the coastal seawater using ion exchange chromatography.  
ICES Journal of Marine Science 58: 1201-1207.

Nishibori N., Yuasa A., Sakai M., Fujihara S., Nishio S. (2001)  
Free polyamine concentrations in coastal seawater during phytoplankton bloom.  
Fisheries Science 67: 319-320.

西堀尚良